

# Process Sheet

SPLIT-2

Customer : CU-DAR001 Dart Helicopters Services  
Job Number : 44535  
Estimate Number : 13303  
P.O. Number :  
This Issue : 09/01/2009 S.O. No. :  
Prsht Rev. : NC  
First Issue : / / Type : PURCHASED PARTS  
Previous Run : 40732

Drawing Name : CUSHION ASSEMBLY

Part Number : D3781041  
Drawing Number : D3781 REVC PRELIM  
Project Number : N/A  
Drawing Revision : PRELIM  
Material :  
Due Date : 30/01/2009 Qty: 4 Um: Each



Written By :  
Checked & Approved By :  
Comment : Est Rev:A 08-05-05 new issue DD verified by:EC  
Est Rev:B 08-07-22 revB as per dwg DD verified by:EC  
Est Rev:C 09-01-08 rev.C as per dwg DD verified by:ec

Additional Product

## PRELIMINARY ISSUE

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 D37811 Supporting Plate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)  
Supporting Plate

B40734

See Attached

2.0 MS20426AD34 RIVET



Comment: Qty.: 10.0000 Each(s)/Unit Total : 40.0000 Each(s)  
RIVET

3.0 MS21075L3 Nutplate



Comment: Qty.: 5.0000 Each(s)/Unit Total : 20.0000 Each(s)  
Nutplate

Done  
on 3781-1 w/D 40734

4.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1  
1- install nut plate and rivet as per dwg D3781

5.0 QC5 INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

NEERING  
PROVAL

Date: Friday, 09/01/2009 1:35:39 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CUSHION ASSEMBLY

Job Number: 44535

Part Number: D3781041

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

PG

PURCHASING



Comment: PURCHASING

Issue P/O: 7965

09/01/14

(8)

Ship with D3781-1 SUPPORTING PLATE

Material: SKANDIA HR150 POLYFOAM (4.6 LBS/CU FT) AND COVER D3781-1/-3 ASSEMBLY WITH SURREY SILVER SUNSET UPHOLSTERY FABRIC P/N SY-11. BOND FABRIC USING 3M ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

Possible Supplier: AEROTEX INTERIORS INC.

Material release note is required

7.0

D37813

Cushion



Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s)

CUSHION

BATCH: 44535

see above

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

9.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D3781

ENGINEERING APPROVAL

09.03.18

09/02/02 (7)  
09.03.19

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: ST 255

09/03/14

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/03/14

Job Completion



POSITIVE RECALL

EFFECTIVE

09.01.03

AUTH

09.03.19

RELEASED



09.03.19

DATE

09.03.19



ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3781-041	CUSHION ASSEMBLY
11	1	D3781-1	SUPPORTING PLATE
13	1	D3781-3	CUSHION
21	10	MS20426AD3-4	RIVET
22	5	MS21075L3	NUT PLATE (OR MS21075-3)
23	A/R	SY-111	SURREY SILVER SUNSET UPHOLSTERY FABRIC
24	A/R	1300	3M SCOTCH-GRIP ADHESIVE



D3781-041 CUSHION ASSEMBLY

RELEASED  
9/2/05

D3781-041 NOTES:


- 1) MATERIAL: COVER D3781-1/-3 ASSEMBLY WITH SURREY SILVER SUNSET UPHOLSTERY FABRIC P/N SY-111.  
BOND FABRIC USING 3M 1300/1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS  
THREAD: MIL-VT-295 TYPE II CLASS A, GREY NYLON THREAD, 4-6 STITCHES PER INCH, USE 1/2" MIN BACKSTITCH, NO LOOSE THREADS
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3781-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.65 lbs
- 8) BOND D3781-3 CUSHION TO D3781-1 SUPPORTING PLATE USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 9) IT IS ACCEPTABLE TO RELIEVE D3781-3 CUSHION WHERE THE NUTPLATES ARE LOCATED TO ENSURE PROPER CONTACT WITH D3781-1 SUPPORTING PLATE
- 10) HOLES MUST BE FREE OF ADHESIVE AND FABRIC

C	REDESIGNED FOR COMPATIBILITY WITH BHT 204 SEATS	MB	08.11.10
B	REDESIGNED; ADDED DETAIL A (ZN B7-1)	MB	08.07.15
A	NEW ISSUE	MB	08.04.29
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	08.11.10		


DART AEROSPACE LTD  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.  
D3781  
REV. C  
SHEET 1 OF 3  
SCALE  
NTS



COPYRIGHT © 2008 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



**D3781-1 SUPPORTING PLATE**  
MAKE FROM D3781-1F



**D3781-1F FLAT PATTERN**




**DETAIL B** A5-2  
SCALE 2X, 5 PL

**RELEASED**  
9/12/15

**D3781-1 NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK  
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027  
(REF. DART SPEC. M6061T6S.080)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.28 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		<b>D3781</b>	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		<b>CUSHION ASSEMBLY</b>	NTS
DATE	08.11.10	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR CORPUS OR TRANSMITTED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	





#24, 2333 - 18 Ave NE  
Calgary, AB T2E 8T6  
Phone: (403) 295-8770  
Fax: (403) 313 0793

## Packing Slip

Date	Packing Slip#
1/15/2009	5743

### Ship To

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

### Invoice To

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Customer Phone	Customer Fax
613.632.5200	613.632.1053
Ship Via	Courier Acct No.
FedEx	15179324-0

Ship Date	P.O. No.
1/23/2009	7965

Description	Part Number	Qty
CUSHION ASSEMBLY AS PER PO S1472 SURREYSILVER SUNSET VINYL PN: SY-111 GST On Sales	D3781041	7

Thank you for doing business with Aerotex Interiors

[www.aerotexinteriors.com](http://www.aerotexinteriors.com)

GST/HST No. 139110308





- Unit 24, 2333 - 18 Ave NE, Calgary A T2E 8T6 - Phone: (403) 295 -8770 - Fax: (403) 313 - 0793 -

## \*CERTIFICATION OF CONFORMANCE\*

Customer Purchase Order:  
Our Work Order:

7965  
5743

THIS IS TO CERTIFY THAT THE FOLLOWING MATERIALS HAVE BEEN USED IN THE WORK ORDER STATED ABOVE:

MATERIAL - SURREY SILVER SUNSE  
FOAM - HR150

HAS BEEN FABRICATED TO ESTABLISHED SPECIFICATION TO CONFIRM WITH FAR 27.853(a) and 29.853(a)

SOLD TO:

DART AEROSPACE LTD., 127 ABERDEEN STREET, HAWKESBURY, ON K6A 1K7

AUTHORIZED REPRESENTATIVE

A large, stylized handwritten signature in black ink, written over a horizontal line.



5000 N. Highway 251 ■ Davis Junction, IL 61020  
815.393.4600 ■ 800.945.7135  
www.SkandiaInc.com

Client:  
SKANDIA (PRODUCTS)  
5000 N HWY 251  
DAVIS JUNCTION IL 61020

WO #: 103975-04  
Date: 01/28/04  
Test Plan #:  
PO #:

Aircraft:  
STOCK

S/N:  
NA

VERTICAL FLAMMABILITY TEST RESULTS

FAR 25.8 3 (a) Appendix F Part I (a) (1) (ii)

Conditioning Room: Time In: 01/26/04

Time Out: 01/28/04

Specimen: GEORGE N. JACKSON.: SURVEY SILVER SUNSET.

Flame Application (seconds)	Flame Time (seconds)	Burn Length (inches)	Drippings (seconds)
12	1.3	2.8	0.0
12	0.0	3.1	0.0
12	0.0	3.1	0.0
Average:	0.4	3.0	0.0


Comments:

Vertical (12 sec.) Burn Test: Average Self-extinguish time may not exceed 15 sec. Average Burn Length may not exceed 8". Average Dripping may not exceed 5 sec. after falling.

Passed: ☒

Failed : ☐

Signed:

  
Carin Demus





# SKANDIA

5000 N. Highway 251 ■ Davis Junction, IL 61020  
815.393.4600 ■ 800.945.7135  
www.SkandiaInc.com

Client: Skandia (Products)  
5000 N. Hwy. 251  
Davis Junction IL 61020 USA

WO #: 177027-08  
Date: 02/19/08  
Test Plan #:  
PO #:

Aircraft:  
Stock

S/N: NA

Test ID #: 12NW-93054

## VERTICAL FLAMMABILITY TEST RESULTS

14 CFR Part 25.85 (a) Amdt 25-116 Appendix F Part I (a)(1)(ii)

Conditioning Room: Time In: 02/18/08 2:30PM Time Out: 02/19/08 3:21PM

Specimen: Skandia, Inc.: HR Polyurethane Foam 150 ILD 1/2", Lot #02118-H150

Flame Application (seconds)	Flame Time (seconds)	Burn Length (inches)	Drippings (seconds)
12	0.0	3.2	0.0
12	0.0	3.6	0.0
12	0.0	3.1	0.0
Average:	0.0	3.3	0.0

### Comments:

Vertical (12 sec.) Burn Test: Average Self-extinguish time may not exceed 15 sec. Average Burn Length may not exceed 8". Average Dripping may not exceed 5 sec. after falling.

Passed:

☒

Failed:

☐

Signed:

Carin Demus

Wednesday, 23/07/2008 3:08:08 PM  
Linda Lacelle

## Process Sheet

Spent  
26 08/07/25

Customer : CU-DAR001 Dart Helicopters Services  
Job Number : 40734 - 2  
Estimate Number : 13298  
P.O. Number :  
This Issue : 23/07/2008 S.O. No. :  
Prsht Rev. : NC  
First Issue : 1/1 Type : SMALL / MED FAB  
Previous Run : 39036  
Written By :  
Checked & Approved By :  
Comment : Est Rev A 08-05-01 new issue DD verified by EC  
Est Rev B 08-07-22 revB as per dwg DD verified by EC

Drawing Name : SUPPORTING PLATE  
Part Number : D37811  
Drawing Number : D3781 PRELIM  
Project Number : N/A  
Drawing Revision : PRELIM  
Material :  
Due Date : 30/07/2008  
Qty: 14 Um: Each

## Additional Product

PRELIMINARY ISSUE

Job Number



Seq. #: Machine Or Operation: Description:

REFERENCE ONLY

1.0 M6061T6S080 6061-T6 .080 Sheet



Comment: Qty: 0.2896 sf(s)/Unit Total: 2.8959 sf(s)

6061-T6 .080 Sheet

batch: 107460 HB 8-7-23

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3781-1

Dwg Rev: PRE L HB 8-7-24

Prog Rev: PRE L

\*\*\*\*\*grain direction along 3.61" \*\*\*\*\*

2- Deburr if necessary

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE HB 8-7-24

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

5.0 BRAKE NC NC BRAKE



Comment: NC BRAKE

Bend as per Dwg D3781

SB 08/07/24 (14)

SB 09/01/14 (9)



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: D3781-1 PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☐ No ☒ DQA: D Date: 09/03/14  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR: <u>40734</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
<u>09/01/14</u>	<u>5</u>	<u>1 piece <del>cast</del> broke</u>	<u>JB</u> <u>09/01/14</u>	<u>Scrap &amp; destroy</u>	<u>JB</u> <u>09/01/14</u>	<u>JB</u> <u>09/01/14</u>	<u>JB</u> <u>09/01/14</u>	<u>JB</u> <u>09/01/14</u>

NOTE: Date & initial all entries



Date: Wednesday, 23/07/2008 3:06:08 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SUPPORTING PLATE

Job Number: 40734

Part Number: D37811

Job Number:



Seq. #:

Machine Or Operation:

Description:

8.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1  
1-counter sink holes as per dwg D3781

*09/01/14* (8)

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

*09/01/14* (8)

8.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1  
Chemical Conversion Coat as per QSI 005 4 1

*M-f 09/01/14*

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

*FX 09/01/14* (8)

10.0

MS20426AD34

RIVET



Comment: Qty: 10.0000 Each(s)/Unit Total: 100.0000 Each(s)  
RIVET  
batch: *M 104374*

*SB 09/01/14* (8)

11.0

MS21075L3

Nutplate



Comment: Qty: 5.0000 Each(s)/Unit Total: 50.0000 Each(s)  
Nutplate  
batch: *M 109371*

*SB 09/01/14* (8)

12.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1  
1- assemble nut plate as per dwg D3781

*09/01/14* (8)

13.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP






*09/01/14* (8)

ENGINEERING  
APPROVAL

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng/ Prod Mgr	Approval QC Inspector

Part No: D3781-1 PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: AD Date: 5/16/04  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR: <u>40734</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
	7	one overbent		scrap & destroy				

NOTE: Date & Initial all entries

Date: Wednesday, 23/07/2008 3:06:08 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SUPPORTING PLATE

Job Number: 40734

Part Number: D37811

Job Number:



Seq. #:

Machine Or Operation:

Description :

14.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

*Label/Chart 1 > send to  
Anvley*

15.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

*09/02/18*

*U 56.01.30*

Job Completion



POSITIVE RECALL

EFFECTIVE *08.07.13* AUTH *LI*

RELEASED *POSITIVE RECALL* DATE \_\_\_\_\_

EFFE

REL

*09.02.12*




# Feq BU 16/01

Dart Aerospace Ltd.

Date: Friday, 09/01/2009 1:35:39 PM  
User: Linda Lacelle

Process Sheet

SPLIT-

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: CUSHION ASSEMBLY
Job Number	: 44535	Part Number	: D3781041
Estimate Number	: 13303	Drawing Number	: D3781 REVC PRELIM
P.O. Number	:	Project Number	: N/A
This Issue	: 09/01/2009 S.O. No. :	Drawing Revision	: PRELIM
Prsht Rev.	: NC	Material	:
First Issue	: / / Type : PURCHASED PARTS	Due Date	: 30/01/2009 Qty: 4 Um: Each
Previous Run	: 40732		
Written By	: 		
Checked & Approved By	:		
Comment	Est Rev:A 08-05-05 new issue DD verified by:EC Est Rev:B 08-07-22 revB as per dwg DD verified by:EC Est Rev:C 09-01-08 rev.C as per dwg DD verified by:ec		











Additional Product

PRELIMINARY ISSUE

Job Number:



REFERENCE ONLY

Seq. #:	Machine Or Operation:	Description :
1.0	D37811	Supporting Plate
		
Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s) Supporting Plate		
2.0	MS20426AD34	RIVET
		
Comment: Qty.: 10.0000 Each(s)/Unit Total : 40.0000 Each(s) RIVET		
3.0	MS21075L3	Nutplate
		
Comment: Qty.: 5.0000 Each(s)/Unit Total : 20.0000 Each(s) Nutplate		
4.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
		
Comment: SMALL & MEDIUM FAB RESOURCE 1 1- install nut plate and rivet as per dwg D3781		
5.0	QC5	INSPECT WORK TO CURRENT STEP
		
Comment: INSPECT WORK TO CURRENT STEP		

40734

N/A done  
on D3781-1

NEERING  
PROVAL

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
09.01.30	2-34-7	Remove steps 2-34-7 done on est 13248-D3781-1 Add D3781.041P to pull when rec'd	JG	09.01.30 09.02.18			

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



Date: Friday, 09/01/2009 1:35:39 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CUSHION ASSEMBLY

Job Number: 44535

Part Number: D3781041

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

PG

PURCHASING



Comment: PURCHASING

Issue P/O:

7965

0209/01/14

8

Ship with D3781-1 SUPPORTING PLATE

Material: SKANDIA HR150 POLYFOAM (4.6 LBS/CU FT) AND COVER D3781-1/-3 ASSEMBLY WITH SURREY SILVER SUNSET UPHOLSTERY FABRIC P/N SY-11. BOND FABRIC USING 3M ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

Possible Supplier: AEROTEX INTERIORS INC.

Material release note is required

7.0

D37813

Cushion



Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s)

CUSHION

BATCH:

PLA ~

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

0209/01/30

① ship @ Eagle.

9.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D3781

ENGINEERING  
APPROVAL

INSPECTED BY DS/H5

09.02.17 SEE ATTACHED

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

rec'd at Eagle  
see attached

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/02/17

Job Completion



POSITIVE RECALL

EFFECTIVE

AUTH

RELEASED

DATE

09.02.30

09.02.17